

HORSE FIOC H 9

COMPLEMENTARY FEED FOR HORSES

Additives per Kg

Vitamins, pro-vitamins and chemically well-defined substances having similar effect

3a672a Vitamin A (Retinyl Acetate)	4,800,00 UI
3a671 Vitamin D3 (cholecalciferol)	480,00 UI
3a880 Biotin	0,10 mg
3a890 Choline chloride	156,00 mg
3a316 Folic acid	3,20 mg
3a315 Niacinamide	5,40 mg
3a841 Calcium-D-pantothenate	8,50 mg
3a821 Vitamin B1 (Thiamine mononitrate)	4,20 mg
3a837 Vitamin B12 (Cyanocobalamin)	0,04 mg
3a825i Vitamin B2 (Riboflavin)	6,78 mg
3a831 Vitamin B6 (pyridoxine hydrochloride)	2,00 mg
3a300 Vitamin C (Ascorbic acid)	80,00 mg
3a700 Vitamin E (all-rac-alpha-tocopheryl acetate)	33,60 mg
3a711 Vitamin K3 (Menadione nicotinamide bisulphite)	3,20 mg

Compounds of trace elements

3b407 Copper (Copper -II- chelate of protein hydrolysates)	2,00 mg
3b405 Copper (Copper -II- sulphate pentahydrate)	18,00 mg
3b201 Iodine (Potassium iodide)	0,18 mg
3b101 Iron (Iron -II- carbonate siderite)	41,04 mg
3b107 Iron (Iron -II- chelate of protein hydrolysates)	4,56 mg
3b502 Manganese (manganese II oxide)	48,60 mg
3b505 Manganese (manganese chelate of protein hydrolysates)	5,40 mg
3b801 Selenium (Sodium selenite)	0,10 mg
3b603 Zinc (Zinc oxide)	54,00 mg
3b612 Zinc (Zinc chelate of protein hydrolysates)	6,00 mg

Antioxidants

E 321 Butylated hydroxytoluene (BHT)	120,00 mg
--------------------------------------	-----------

COMPOSITION


Whole barley flakes, wheat bran, Whole lin seed, Beet pulp, Rape rosse essicate, Dried carrots, Sodium chloride, Molasses and soy oil, Calcium carbonate, Zeolyte, Andrographis paniculata, Boerhaavia diffusa radice, Phyllanthus amarus, Solanum nigrum, Potassium chloride, Bicalic phosphate, Erbal flavour.

ANALITICAL COMPONENTS

Crude protein	12,50 %
Crude oils and fats	7,00 %
Crude fiber	10,00 %
Crude ash	8,30 %
Sodium	0,84 %

FEEDING USE

FIOC H9 Mash can be supplied to all horses in particular to those in competition or training. Suitable also for those subject to long distance transports and to face front moments of low of appetite due to stress. Dosage: 1/1 of mash adding 2 liters of warm water and supply one or two times a week. This allows a complete recover and rehydrating of the horse.



To be consumed within:

LOT Nr.: 202608311052 02/2027

The chemical analysis and vitamin content are guaranteed only if the product is stored in a cool and dry place and if sealed in its original packaging. Produced in the plant with ministerial authorization n. MG/143-R/A 1310 del 06/10/1982 alfa IT 000187 TV